

Combi 200

The Combi 200, for electrotherapy, ultrasound therapy, combination therapy

The Combi 200 : a 'must' for your practice. Portable and supremely easy to use, with a large backlight screen and two independent channels that allow two different types of electrotherapy currents to be applied at the same time. Pushbuttons for the most important functions. 21 types of electrotherapy current, ultrasound, combination and simultaneous treatments. Han Stim, the new pain control therapy, and treatment for an overactive bladder have been added to the therapeutic objectives.



Article number: 300 397

Characteristics

- Therapies :
 - o Electro therapy, 2 and 4 poles, 2 channels completely independent
 - o Ultrasound therapy
 - o Simultaneous therapy (2 different indications treated simultaneously by using electro and ultrasound therapy)
 - o Combination therapy (treating one injury simultaneously using a combination of electro and ultrasound therapy)
- Currents :
 - o Current forms: See on the next page
- Ultrasound :
 - o Multifrequency head (1 and 3 MHz), 4 cm²
 - o Continuous and pulsed mode (10 - 20 - 30 - 40 - 50 - 100%)
 - o Acoustic contact control
- Functionalities :
 - o Objectives : 33
 - o Indication: 122
 - o Diagnostic: 9
 - o Free memory: 20
- Can be connected to the Vaco 500

Standard accessories

100 689	Mains lead
108 725	Electrode cable, 2-pole
108 919	Test plug, F/F, 4 mm
109 959	Electrode, rubber, 6 x 8 cm, per 2
100 658	Chamex bag, 6 x 8 cm, per 4
108 935	Fixing strap, elastic, 5 x 60 cm
115 684	Visual Analogue Scale (VAS-Score)
117 128	Sets of photos Combi 200 electrodes and US-head placement
117 122	US-head, multi-freq., ERA 4 cm ² , incl. holder
100 016	Contact gel, 500 ml

Manuals

323 011	Safety Instructions
117 124	Treatment Guide Dutch
117 125	Treatment Guide French
117 126	Treatment Guide English
117 127	Treatment Guide German
327 360	Treatment Guide Spanish

Technical specifications




Languages	: English, German, French, Dutch, Spanish, Italian, Portuguese and Polish
Mains voltages	: 100- 240-VAC, 50/60 Hz +/- 10%
Maximum power -in operation	: 85 VA
Dimensions (b x h x d) / Weight	: 266 x 100 x 275 mm/ca. 3.650 kg.
Safety class	: Class I
Isolationtype	: Type BF
Classification according to MDD	: Class IIa
Safety examination	: CE from conformity with Directives MDD 93/42/EEC





Optional accessories





117 123	US-head, multi-freq., ERA 1 cm ²
302 955	Carrying case 200 series
114 142	Pen electrode with sponge, Ø 15 mm
109 944	Sponge for pen electrode, per 10
329 978	Vaginal probe Novatys Gold
330 594	Vaginal probe V2B+
330 572	Vaginal probe Optima 3
330 583	Vaginal probe Perisize 4+
329 989	Anal probe Analia
330 561	Anal probe Analys+
112 166	Stimulation probe, rectal
326 799	Electrode, adhesive, Ø 3 cm, per 4
326 810	Electrode, adhesive, 2.5 x 5 cm, per 4
326 821	Electrode, adhesive, 5 x 5 cm, per 4
326 832	Electrode, adhesive, 5 x 10 cm, per 4
328 504	Adhesive electrode kit
113 334	Adapter for adhesive electrode 4 > 2 mm
109 958	Electrode, rubber, 4 x 6 cm, per 2
109 960	Electrode, rubber, 8 x 12 cm, per 2
108 934	Fixing strap, elastic, 5 x 30 cm
108 936	Fixing strap, elastic, 5 x 120 cm
100 657	Chamex bag, 4 x 6 cm, per 4
100 659	Chamex bag, 8 x 12 cm, per 4
117 215	Bottle support for Mobil 700
100 016	Contact gel, 500 ml
100 019	Contact gel, 5L
100 020	Pump, 5L
117 210	Mobil 700, trolley, 2 shelves, 1 drawer
117 220	Extra shelf + drawer for Mobil 700








Combi 200 : Current forms






Unidirectional Currents		
		
Medium frequency rectangular	Rectangular pulse	Triangular pulse
		
2-5 current (Ultra Reiz)		

Diadynamic Currents		
		
MF	DF	CP
		
CP-ISO	LP	LP-ISO

Tens Currents		
		
Conventional Tens example: Symmetrical	Low Frequency Tens example: Symmetrical	Random frequency Tens example: symmetrical
		
Burst Tens example: symmetrical	Han Stim	

NMES Currents		
		
Rectangular Surge	Triangular Surge	Biphasic Surge example: symmetrical
		
Biphasic Surge example: a-symmetrical	Intrapulse Interval Surge Symmetrical	2-pole Medium Frequency Surge
		
4-pole: Interferential surge		

Interferential Currents		
		
2-pole Medium frequency	4-pole Interferential	4-pole Interferential with Rotating Vector